

For R&D Use Only - Not a California Compliance Certificate.

Purple Haze



| Total CBD | ND |
|----------------------|---------|
| Total THC | 27.06 % |
| Total Cannabinoids | 30.81 % |
| Analysis Summary | |
| Residual Pesticides | Pass |
| Mycotoxins | Pass |
| Heavy Metals | Pass |
| Microbial Impurities | Pass |

Sample Name:Batch Number:Purple HazePLD82224PPD

Matrix:Unit Mass:Plant1 g per unit

Sample ID: Date Received: 47440821-14 8/21/2024

Approved By: Marie True, M.S. Laboratory Manager

This certificate of analysis is responsible for the tested sample only and is for research and development (R&D) use only. This certificate of analysis shall not be reproduced, except in its entirety, without the written approval of FESA Labs. FESA Labs shall not be liable for any damage that may result from the data contained herein in any way. FESA Labs makes no claim to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. If there are any questions with this report please email info@fesalabs.com. This certificate of analysis is intended only for the use of the party to whom it is addressed and may contain information that is confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately contact us.

References: limit of detection (LOD), limit of quantitation (LOQ), not detected (ND), not tested (NT)



For R&D Use Only - Not a California Compliance Certificate.

| Cannabinoid Analysis | Complete |
|----------------------|----------|
|----------------------|----------|

| Analyte | LOD (%) | LOQ (%) | Mass (%) | Mass (mg/g) |
|--------------------|---------|---------|----------|-------------|
| CBDV | 0.0035 | 0.011 | ND | ND |
| CBD | 0.0030 | 0.0090 | ND | ND |
| CBG | 0.0038 | 0.011 | ND | ND |
| CBDA | 0.0017 | 0.0052 | ND | ND |
| CBN | 0.00080 | 0.0024 | ND | ND |
| Delta 9-THC | 0.0022 | 0.0067 | 0.259 | 2.59 |
| Delta 8-THC | 0.0020 | 0.0059 | ND | ND |
| CBC | 0.00070 | 0.0021 | ND | ND |
| THCA | 0.0024 | 0.0073 | 30.555 | 305.55 |
| Total CBD | | | ND | ND |
| Total THC | | | 27.06 | 270.56 |
| Total Cannabinoids | | | 30.81 | 308.14 |

Date Tested: 8/22/2024


Total THC = THCa * 0.877 + d9-THC + d8-THC

Total CBD = CBDa * 0.877 + CBD

Pesticide Analysis Pass

| Analyte | LOQ (ppm) | Limit (ppm) | Mass (ppm) | Status | |
|--------------------|-----------|-------------|------------|--------|--|
| Abamectin | 0.050 | 0.10 | ND | Pass | |
| Acephate | 0.050 | 0.10 | ND | Pass | |
| Acequinocyl | 0.050 | 0.10 | ND | Pass | |
| Acetamiprid | 0.050 | 0.10 | ND | Pass | |
| Aldicarb | 0.050 | 0.00 | ND | Pass | |
| Azoxystrobin | 0.050 | 0.10 | ND | Pass | |
| ifenazate | 0.050 | 0.10 | ND | Pass | |
| lifenthrin | 0.050 | 3.00 | ND | Pass | |
| oscalid | 0.050 | 0.10 | ND | Pass | |
| aptan | 0.050 | 0.70 | ND | Pass | |
| arbaryl | 0.050 | 0.50 | ND | Pass | |
| arbofuran | 0.050 | 0.00 | ND | Pass | |
| hlorantraniliprole | 0.050 | 10.00 | ND | Pass | |
| hlordane | 0.050 | 0.00 | ND | Pass | |
| hlorfenapyr | 0.050 | 0.00 | ND | Pass | |
| hlorpyrifos | 0.050 | 0.00 | ND | Pass | |
| lofentezine | 0.050 | 0.10 | ND | Pass | |
| oumaphos | 0.050 | 0.00 | ND | Pass | |
| yfluthrin | 0.050 | 2.00 | ND | Pass | |
| ypermethrin | 0.050 | 1.00 | ND | Pass | |
| aminozide | 0.050 | 0.00 | ND | Pass | |
| DVP | 0.050 | 0.00 | ND | Pass | |
| iazinon | 0.050 | 0.10 | ND | Pass | |
| imethoate | 0.050 | 0.00 | ND | Pass | |
| imethomorph | 0.050 | 2.00 | ND | Pass | |
| thoprophos | 0.050 | 0.00 | ND | Pass | |
| tofenprox | 0.050 | 0.00 | ND | Pass | |
| toxazole | 0.050 | 0.10 | ND | Pass | |
| enhexamid | 0.050 | 0.10 | ND | Pass | |
| enoxycarb | 0.050 | 0.00 | ND | Pass | |
| enpyroximate | 0.050 | 0.10 | ND | Pass | |
| ipronil | 0.050 | 0.00 | ND | Pass | |
| lonicamid | 0.050 | 0.10 | ND | Pass | |
| Fludioxonil | 0.050 | 0.10 | ND | Pass | |

FESA Labs






For R&D Use Only - Not a California Compliance Certificate.

Pesticide Analysis Pass

| Hexythiazox |
|--|
| Imidacloprid 0.050 5.00 ND Pass Kresoxim Methyl 0.050 0.10 ND Pass Malathion 0.050 0.50 ND Pass Metalaxyl 0.050 2.00 ND Pass Methiocarb 0.050 0.00 ND Pass Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutaril 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Vaamyl 0.050 0.10 ND Pass Paclobutrazol 0.050 0.50 ND Pass Pertachloronitrobenzene 0.050 0.50 ND Pass Permethrin 0.050 0.50 ND Pass Piperonyl Butoxide 0.050 0.10 ND Pass |
| Kresoxim Methyl 0.050 0.10 ND Pass Malathion 0.050 0.50 ND Pass Metalaxyl 0.050 2.00 ND Pass Methiocarb 0.050 0.00 ND Pass Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.10 ND Pass Paclobutrazol 0.050 0.50 ND Pass Permethrin 0.050 0.10 ND Pass Phosmet 0.050 0.10 ND Pass Priperonyl Butoxide 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Pr |
| Malathion 0.050 0.50 ND Pass Metalaxyl 0.050 2.00 ND Pass Methiocarb 0.050 0.00 ND Pass Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.10 ND Pass Paclobutrazol 0.050 0.50 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Piperonyl Butoxide 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propiconazole 0.050 0.00 ND Pass |
| Metalaxyl 0.050 2.00 ND Pass Methiocarb 0.050 0.00 ND Pass Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.50 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Piperonyl Butoxide 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass |
| Methiocarb 0.050 0.00 ND Pass Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Pyrethrins 0.050 0.50 ND Pass |
| Methomyl 0.050 1.00 ND Pass Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Piperonyl Butoxide 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.50 ND ND Pass |
| Methyl Parathion 0.050 0.00 ND Pass Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Mevinphos 0.050 0.00 ND Pass Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Myclobutanil 0.050 0.10 ND Pass Naled 0.050 0.10 ND Pass 0xamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND ND Pass |
| Naled 0.050 0.10 ND Pass Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Oxamyl 0.050 0.50 ND Pass Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Paclobutrazol 0.050 0.00 ND Pass Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Pentachloronitrobenzene 0.050 0.10 ND Pass Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Permethrin 0.050 0.50 ND Pass Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Phosmet 0.050 0.10 ND Pass Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Piperonyl Butoxide 0.050 3.00 ND Pass Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Prallethrin 0.050 0.10 ND Pass Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Propiconazole 0.050 0.10 ND Pass Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Propoxur 0.050 0.00 ND Pass Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Pyrethrins 0.050 0.50 ND Pass Pyridaben 0.050 0.10 ND Pass |
| Pyridaben 0.050 0.10 ND Pass |
| · |
| Spinetoram 0.050 0.10 ND Pass |
| 5,000 0.10 ND 1 000 |
| Spinosad 0.050 0.10 ND Pass |
| Spiromesifen 0.050 0.10 ND Pass |
| Spirotetramat 0.050 0.10 ND Pass |
| Spiroxamine 0.050 0.00 ND Pass |
| Tebuconazole 0.050 0.10 ND Pass |
| Thiacloprid 0.050 0.00 ND Pass |
| Thiamethoxam 0.050 5.00 ND Pass |
| Trifloxystrobin 0.050 0.10 ND Pass |

Date Tested: 8/22/2024

Page 3 of 5





For R&D Use Only - Not a California Compliance Certificate.

| Analyte | LOQ (µg/g) | Limit (µg/g) | Mass (µg/g) | Status |
|--------------|------------|--------------|-------------|--------|
| Aflatoxin B1 | 0.02 | 0.02 | ND | Pass |
| Aflatoxin B2 | 0.02 | 0.02 | ND | Pass |
| Aflatoxin G1 | 0.02 | 0.02 | ND | Pass |
| Aflatoxin G2 | 0.02 | 0.02 | ND | Pass |
| Ochratoxin A | 0.02 | 0.02 | ND | Pass |

Date Tested: 8/22/2024

Mycotoxins

Heavy Metals Analysis

Pass

Pass

| Analyte | LOQ (µg/g) | Limit (µg/g) | Mass (µg/g) | Status |
|---------|------------|--------------|-------------|--------|
| Arsenic | 0.050 | 0.200 | ND | Pass |
| Cadmium | 0.050 | 0.200 | ND | Pass |
| Lead | 0.125 | 0.500 | ND | Pass |
| Mercury | 0.025 | 0.100 | ND | Pass |
| | | | | |


Date Tested: 8/23/2024

Microbial Analysis Pass

| Test | Result (CFU/g) | Status | |
|---|----------------|--------|--|
| Aspergillus flavus | Absent / 1g | Pass | |
| Aspergillus fumigatus | Absent / 1g | Pass | |
| Aspergillus niger | Absent / 1g | Pass | |
| Aspergillus terreus | Absent / 1g | Pass | |
| Shiga-toxin producing <i>Escherichia coli</i> | Absent / 1g | Pass | |
| Salmonella | Absent / 1g | Pass | |

Date Tested: 8/23/2024

CFU = Colony Forming Units





For R&D Use Only - Not a California Compliance Certificate

Method References: Testing Location

Cannabinoid Profile (UNODC)

FESA Labs - Santa Ana, CA

Official Methods of Analysis, Method 2018.11.AOAC INTERNATIONAL (modified), Lukas Vaclavik, Frantisek Benes, Alex Krmela, Veronika Svobodova, Jana Hajsolva, and Katerina Mastovska, "Quantification of Cannabinoids in Cannabis Dried Plant Materials, Concentrates, and Oils Liquid Chromatography-Diode Array Detection Technique with Optional Mass Spectrometric Detection," First Action Method, Journal of AOAC International, Future Issue

United Nations Office on Drugs and Crime - Recommended methods for identification and analysis of cannabis and cannabis products

Multi-Residue Pesticide Analysis - (AOAC_200701)

FESA Labs - Santa Ana, CA

Official Methods of Analysis, AOAC Official Method 2007.01, Pesticide Residues in Foods by Acetonitrile Extraction and Partitioning with Magnesium Sulfate, AOAC INTERNATIONAL (modified).

CEN Standard Method EN 15662: Food of plant origin - Determination of pesticide residues using GC-MS and/or LC-MS/MS following acetonitrile extraction/partitioning and clean-up by dispersive SPE - QuEChERS method.

Mycotoxins Analysis - 5 compounds (FDA_MYC)

FESA Labs - Santa Ana, CA

Determination of Mycotoxins in Corn, Peanut Butter and Wheat Flour Using Stable Isotope Dilution Assay (SIDA) and Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS) (modified).

Heavy Metals Analysis - 4 elements (EPA_200.8)

FESA Labs - Santa Ana, CA

 $Methods \ for \ the \ Determination \ of \ Metals \ in \ Environmental \ Standards - Supplement \ 1, EPA-600/R-94-111, May \ 1994.$

"Determination of Metals and Trace Elements in Water and Wastes by Inductively Coupled Plasma-Mass Spectrometry", USEPA Method 200.8, Revision 5.1, EMMC Version (modified).

Microbial Analysis - (FDABAM_4A_5_18)

FESA Labs - Santa Ana, CA

U.S. Food and Drug Administration, Bacteriological Analytical Manual, Chapter 4A, Diarrheagenic Escherichia coli; Chapter 5, Salmonella; Chapter 18, Yeasts, Molds and Mycotoxins (modified).

Testing Location:

FESA Labs

2002 S. Grand Ave., Suite A Santa Ana, CA 92705 (714) 540-0172 www.fesalabs.com

FESA Labs